

POSTSCRIPT.—In a paper published in 1901, E. Simon has described one new genus and in all seven new species of *Gagrellinae* from the Malay Peninsula, viz.: *Gagrella bicornigera*, *G. semigranosa*, *G. patalungensis*, *G. illusa*, *G. biseriata*, *G. atrorubra*, and *Verpulus spumatus*. They seem all to be well defined from those established by myself. Simon's paper (21) was unfortunately overlooked when I was engaged on the present treatise, and his species have not been taken into account in the synoptic keys. The last-named paper of Loman (22) was published after I had sent in the manuscript; his species have been inserted in the list (pp. 466-68) on the geographical distribution together with those of Simon (21), when I looked over the proof.

C. WITH.

21st February, 1903.

INDEX.

[Synonyms and native names are printed in *italics*. A star is added to names which appear to be here used for the first time.]

- Abraxas grossulariata, *Linn.*, 370.
 Acanthocystis, *Carter*, 340.
 aculeata, *Hertwig & Lesser*, 341.
 chætophora, *Leidy*, 340.
 erinaceus, *Penard*, 341.
 flava, *Greeff*, 341.
 pallida, *Greeff*, 340.
 paludosa *, *West*, 340; mentioned, 342.
 Pertyana, *Archer*, 341.
 spinifera, *Greeff*, 341.
 turfacea, *Carter*, 340.
 viridis, *Greeff*, 340.
 Acanthodrilus, *Perr.*, 109, 124.
 sydneyensis, *Fletcher*, 124, 129, 131, 136, 138, 139.
 Acantholophus, mentioned, 470.
 Acartia Clausii, *Giesbrecht*, 306.
 Accessory glands of Australian Earth-worms (*Sweet*), 134.
 Acervulina inharens, *Schultze*, 198.
 Achæus Cranchii, *Leach*, 292.
 Actineta, *Koch*, 374.
 Actinophrys, *Ehrenb.*, 334.
 difformis, *Ehrenb.*, 334.
 Eichhornii, *Ehrenb.*, 336.
 picta, *Leidy*, 335.
 Sol, *Ehrenb.*, 334.
 subalpina *, *West*, 335; mentioned, 342.
 viridis, *Ehrenb.*, 340.
 Actinosphærium, *Stein*, 336.
 Eichhornii, *Stein*, 336.
 Adelosina polygonia, *Schlumberger*, mentioned, 19.
 Agalma, *Eschsch.*, 254.
 Allorchestes, *Dana*, 299.
 aquilina, *Costa*, 299; mentioned, 307.
 plumicornis, *Heller*, 299; mentioned, 307.
 Alveolina Boscii, *DeFrance*, 400, 414.
 Alysidium Lafontii, *Aud.*, mentioned, 52.
 Amblyplana, *Graff*, mentioned, 41.
 Ammochares, *Grube*, 254, 255, 256, 259.
 assimilis, *Sars*, 259, 260.
 filiformis, *D. Chiaje*, 259, 260.
 fusiformis, *D. Chiaje*, 259.
 ottonis, *Grube*, 259.
 Ammocharidæ, On the Structure and Habits of the Polychæta of the Family, by A. T. Watson, 230-260.
 Ammoconia sagenella, *Hæckel*, mentioned, 5.
 Ammoconidæ, 5.
 Ammodiscus, *Reuss*, 29.
 incertus, *d'Orb.*, 29, fig. 32.
 Ammothea echinata, *Hodge*, 306.
 Amœba, *Ehrenb.*, 308, 309, 311.
 bilimbosa, *Auerbach*, 312.
 brachiata, *Dujardin*, 310.
 lateritia, *Fresenius*, 333.
 natans, *Perty*, 309.
 princeps, *Carter*, 309.
 princeps, *Ehrenb.*, 309.
 proteus, *Leidy*, 309.
 quadrilineata, *Carter*, 309.
 radiosa, *Ehrenb.*, 310.
 ramosa, *Dujardin*, 310.
 sabulosa, *Leidy*, 310.
 verrucosa, *Ehrenb.*, 309.
 villosa, *Wallich*, 309, 310.
 Amœbæa, 309.
 Ampelisa diadema, *Costa*, 300.
 tenuicornis, *Liljeb.*, 300.
 Ampeliscidæ, 300.
 Amphilocheus brunneus, *Della Valle*, 300, 301.

- Amphilocheus Marionis, *Stebbing*, mentioned, 301.
 melanops, *Walker*, 300, 301.
 neapolitanus, *Della Valle*, 300, 301.
- Amphipoda of the British Isles, by C. Chilton, 140-161.
- Amphistegina, *d'Orb.*, 404; mentioned, 2, 163, 164, 165.
 Lessonii, *d'Orb.*, 204, 209, 382, 387, 394, 407, 414.
- Amphistomina, 308, 319, 332.
Amphithoë aquilina, *Costa*, 299.
- Amphithoidæ, *Stebbing*, 306.
- Amphitrema, *Archer*, 319, 332.
 Wrightianum, *Archer*, 332.
- Amphizonella vestita, *Archer*, 313.
- Anarthropora monodon, forma *minuscula*, *Smitt*, 86.
- Anchialus agilis, *Sars*, 293.
- Anomalina, *d'Orb.*, 195.
 ammonoides, *Reuss*, 195, 209, 406.
 coronata, *Parker & Jones*, 382, 406.
 grosserugosa (*Gümbel*), 406.
 — (*Rotalina*) ammonoides, *Reuss*, 195.
- Anomura, 292.
- Anthuridæ, 295.
- Aora gracilis, *Spence Bate*, 395.
- Aoridae, *Stebbing*, 305.
- Apherusa bispinosa, *Spence Bate*, 303.
- Aphis, *Linn.* (*Currant*), 370.
- Aphrothoraca, 334.
- Aporrhais, *Da Costa*, 437.
 pes-pelecani, *Linn.*, mentioned, 436, 442.
- Apteryx, *Shaw*, 347.
- Arcella, *Ehrenb.*, 314, 316, 317, 330.
 aculeata, *Ehrenb.*, 315.
 artocrea, *Leidy*, 315, 342.
 constricta, *Ehrenb.*, 317.
 discoides, *Ehrenb.*, 314.
 hemisphærica, *Perty*, 314.
 hyalina, *Ehrenb.*, 330.
 mitrata, *Leidy*, 315.
 vulgaris, *Ehrenb.*, 314, 315.
 —, var. gibbosa, *Penard*, 314.
 vulgaris, *Leidy*, 314.
- Arcellina, *Du Pless*, 312.
 vulgaris, *Carter*, 314.
- Arenicola, *Leach*, 232.
- Argilloecia, *Sars*, 419.
 acuminata, *Müller*, 419.
 affinis*, *Chapm.*, 419, 433.
 eburnea, *Brady*, 420.
- Argulidæ, 213.
- Arthrocentrus atratus, *Thor.* (Upper Burma), 468.
- Articulina conico-articulata, *Batsch*, 399.
 funalis, *Brady*, 399.
- Articulina funalis, var. inornata, *Brady*, 381, 399.
 lineata, *Brady*, 399.
- Artotrogus, *Boeck*, 213.
- Ascaris, *Linn.*, 245.
- Asellota, *Erichs.*, 296.
- Assulina, *Ehrenb.*, 329.
 seminulum, *Ehrenb.*, 329.
- Asterocheres, *Boeck*, 213.
- Astrorhizidæ, 4, 182.
- Athenas nitescens, *Leach*, 292.
- Atylidæ, 304.
- Atylus *Costæ*, *Heller*, 304.
- Australian Earthworms, On the Structure of the Spermiducal Glands and Associated parts in, by Miss G. Sweet, 109-139.
- Autonöe longipes, *Liljeb.*, 305.
- Bairdia, *M^cCoy*, 420; mentioned, 397.
 amygdaloides, *Brady*, 420.
 attenuata, *Brady*, 423.
 Crosskeiana, *Brady*, 421.
 faba, *Reuss*, 418.
 foveolata, *Brady*, 422, 423.
 hirsuta, *Brady*, 422.
 Milne-Edwardsii, *Brady*, 422.
 simplex, *Brady*, 422.
 tenera, *Brady*, 422.
 ventricosa, *Brady*, 423.
 Woodwardiana, *Brady*, 421.
- Bairdiidæ, 420.
- Bdelloidina, *Carter*, 7; mentioned, 6, 8.
 aggregata, *Carter*, 7; mentioned, 8, 9, fig. 26, 388, 393, 400.
- Beania magellanica, *Busk*, mentioned, 49.
- Benthos species of Foraminifera, 414.
- Bicellaria Alderi, *Busk*, mentioned, 58.
- Bifarina limbata, *Brady*, 401, 409, 417.
- Biloculina, *d'Orb.*, 169.
 elongata, *d'Orb.*, 169.
 irregularis, *d'Orb.*, 381, 413.
 oblonga, *d'Orb.*, 169, 206, 398.
 ringens, *Lamarck*, 170, 206, 391, 398.
 —, var. denticulata, *Brady*, 398.
 subsphærica, *d'Orb.*, 169, 206.
- Biomyza vagans, *Leidy*, 311.
- Bipaliidæ, 41.
- Bipalium kewense, *Moseley*, mentioned, 34.
- Black-Currant Gall-mite, *Eriophyes* (*Phytoptus*) *ribis*, *Westw.*, Life-history of, by Cecil Warburton and Alice L. Embleton, 366-378.
- Black-Currant plant disease (*Warburton & Embleton*), 366-378.
- Bolivina, *d'Orb.*, 186; mentioned, 163.

- Bolivina arenosa*, *Chapm.*, 401.
dilatata, *Reuss*, 401.
limbata, *Brady*, 187, 208, 382.
porrecta, *Brady*, 401.
punctata, *d'Orb.*, 186, 207, 401.
robusta, *Brady*, 401.
textularioides, *Reuss*, 401.
tortuosa, *Brady*, 187, 208, 382.
- Bolodon*, *Owen*, mentioned, 282.
Bomolechus, *Nordm.*, 222.
- Boruta*, *Wrzeźniowski*, 154, 158.
- Brachyura*, *Latr.*, 292.
- Brain of Macroscelides and other Insectivora, Notes on the, by G. Elliot Smith, 443-448.
- Branchiomma vesiculosa*, 253.
- Brettia australis*, *Busk*, mentioned, 51.
cornigera, *Busk*, mentioned, 51.
*frigida**, *Waters*, 51; mentioned, 98, 101.
*minima**, *Waters*, 52; mentioned, 98, 101.
- Broom, Robert, On the Early Condition of the Shoulder-girdle in the Polyprotodont Marsupials, *Dasyurus* and *Perameles*, 449-454.
- Bryozoa from Franz Josef Land, collected by the Jackson-Harmsworth Expedition, 1896-97, by Arthur W. Waters, 43-105.
- Bucco Dysoni*, *G. R. Gray*, 357.
- Bugula avicularia*, *Linn.*, mentioned, 54.
fruticosa, *Packard*, mentioned, 52.
*Harmsworthii**, *Waters*, 54; mentioned, 98.
hexacantha, *Ortmann*, mentioned, 53.
Murrayana, *Johnst.*, 52; mentioned, 51, 98.
 —, var. *fruticosa*, *Packard*, 53, 98.
quadridentata, *Smitt*, mentioned, 51.
- Bulimina convoluta*, *Will.*, 401.
elegans, *d'Orb.*, var. *exilis*, *Brady*, 401.
elegantissima, *d'Orb.*, 401.
subteres, *Brady*, 401.
variabilis, *d'Orb.*, mentioned, 28.
- Buliminina*, 186.
- Bunotheria*, 283.
- Bythocythere*, *Sars*, 432.
arenacea, *Brady*, 432.
*armata**, *Chapm.*, 432, 433.
pumilio, *Brady*, 432.
velifera, *Brady*, 432.
- Caberea Ellisii*, *Smitt*, mentioned, 58.
- Calamodon*, *Cope*, 284.
- Calanus gracilis*, *Dana*, 306.
- Calcarina*, *d'Orb.*, 2, 15, 163, 164, 165, 196.
Calcar, *d'Orb.*, var. *hispida*, *Brady* ftnote, 15, 197.
Defranci, *d'Orb.*, 197, 209, 407.
hispida, *Brady*, ftnote 15, 196, 209, 382, 387, 394, 407, 414.
 —, var. *pulchella**, *Chapm.*, 15, fig. 26; mentioned, 382, 413.
Spengleri, *Linn.*, 382, 385, 413.
- Callianassa*, *Leach*, 213.
- Calliopiidae, 303.
- Calliopius subterraneus*, *Chilton*, 157.
- Campecopea corallina*?, *Risso*, 296.
- Cancellaria*, *Lam.*, mentioned, 439.
- Candeina nitida*, *d'Orb.*, 404, 415.
- Canis*, *Linn.*, mentioned, 266.
- Caprella acanthifera*, *Leach*, 306.
- Caprellidae, 306.
- Caprimulgus europæus*, *Linn.*, 353.
- Capromyidae, 285.
- Capromyinae, 285.
- Capulidae, 437.
- Capulus*, *Montf.*, mentioned, 436.
- Carcinus mænas*, *Penn.*, mentioned, 292.
- Cariama*, *Briss.*, ftnote 348.
- Carinata*, 343.
- Carpenteria, *Gray*, 2, 12, 195.
balaniformis, *Gray*, 13; mentioned, 388, 390, 392, 393, 394, 406.
 —, var. *proteiformis*, *Goës*, 195.
monticularis, *Carter*, 14; mentioned, 13, 15, 388, 389, 392, 393, 406.
proteiformis, *Goës*, 195, 209, 210, 406.
rhapidodendron, *Möbius*, 388, 389, 393, 395, 406, 413, 416.
*serialis**, *Chapm.*, 395; mentioned, 391, 393, 413.
utricularis, *Carter*, 12; mentioned, 13, 15, 195, 388, 389, 406, 416.
- Carterina*, *Brady*, 184.
spiculotesta, *Carter*, 165, 184, 207, 400.
- Cassidulina*, *d'Orb.*, 408.
calabra, *Seguenza*, 402.
crassa, *d'Orb.*, 402.
lævigata, *d'Orb.*, 402.
 — (Orthoplecta) *clavata*, *Brady*, 402.
- Caudenia nitida* read *Candeina nitida*, *d'Orb.*, 415.
- Cavia*, *Klein*, 262-278.
Cobaya, *Gmel.*, 262-290.
 —, premolar of, 283.
 —, upper molar of, 290.
- Caviidae: Tooth-Genesis in, by H. W. Marett Tims, 261-290.
- Cecidomyid* fly, 375.
- Cellarina scabra*, van *Beneden*, 54.
ternata, var. *gracilis*, *Verrill*, 55.

- Cellepora*, *Gmel.*, 2, 77, 93.
armata, *Hass.*, mentioned, 95.
avicularis, *Hass.*, mentioned, 95.
bilaminata, *Hincks*, 92.
cervicornis, *Busk*, 94.
conica, *Busk*, mentioned, 95.
coronopus, *S. Woods*, mentioned, 94, 95.
cylindriformis, *Busk*, mentioned, 95.
Eatoniensis, *Busk*, mentioned, 96.
incrassata, *Lamarck*, mentioned, 46, 79, 94.
incrassata, *Smitt*, 93-96, 100, fig. 104, 105.
pertusa, *Smitt*, mentioned, 91.
plicata, *Smitt*, 92.
pumicosa, *Busk*, 95, 100, fig. 105.
ramulosa, *Linn.*, mentioned, 95, 96.
ramulosa, *Manzoni*, 80.
scabra, *Smitt*, 91.
tridens, *Kirchenpauer*, 80.
ventricosa, *Lorenz*, 96, 100, fig. 104.
verruculata, *Smitt*, mentioned, 49.
Celleporaria incrassata, *Smitt*, 93.
surcularis, *Packard*, 94.
Celleporella, *Gray*, 70.
Cellularia Peachii, *Busk*, 58.
scabra, *Smitt*, 54.
ternata, var. *gracilis*, *Smitt*, 55.
Centetes, *Ill.*, mentioned, 445.
Centropyxis, *Stein*, 315, 316.
aculeata, *Stein*, 315, 342.
 —, var. *ecornis*, *Leidy*, 317.
laevigata, *Penard*, 317.
Ceratobunus, *Thorell*, 476; mentioned, 474, 483.
annulatus *Thor.*, (Upper Burma), 476; mentioned, 468, 473.
bimaculatus, *Thor.*, 476; mentioned, 468.
brevipes *, *C. With*, 478; mentioned, 468, 472, 474.
calcuttensis *, *C. With*, 477; mentioned, 468.
lugubris, *Thor.* (Upper Burma), 468, 476.
pulcher *, *C. With*, 476; mentioned, 468.
quadricornis, *Thor.* (Sumatra), 467.
Ceratophyllum, *Eat.*, 332.
Cerriopora globulus, *Reuss*, 198.
Cetacea, dental lamina in, 277.
Chalarothoraca, 339.
Chapman, F., On some New and Interesting Foraminifera from the Funafuti Atoll, Ellice Islands, 1-27.
Chapman, F., On some Foraminifera of Tithonian Age from the Stramberg Limestone of Nesselssdorf, 28-32.
 — Foraminifera from the Lagoon at Funafuti, 161-210.
 — On the Foraminifera collected round the Funafuti Atoll from shallow and moderately deep water, 379-417.
 — On some Ostracoda from Funafuti, 417-433.
Chara hispida, *Linn.*, 314, 339.
Cheilostomella ovoidea, *Reuss*, 402.
Chenopus (*Aporrhais*) *pes-pelecani*, *Linn.*, mentioned, footnote 437.
Chilton, C., The Subterranean Amphipoda of the British Isles, 140-161.
Chirogidae, 284.
 incisors of, 284.
Chlamydephora, *Harl.*, 336-447.
Chrysochloris, *Cuv.*, mentioned, 447, 448.
Chrysomelinae, 212.
Chytra, *Moore*, 434-442.
 — *Kirkii*, *Sm.*, 434, 436, 437, 441, 442.
Cirolanidae, 296.
Clathrulina, *Cienkowski*, 341.
elegans, *Cienk.*, 341.
Clausidiidae, 213, 219.
Clausidium, *Kossm.*, 213, 215, 218, 219, 221, 223.
testudo, *Kossm.*, 213.
Clavulina, *d'Orb.*, 186.
angularis, *d'Orb.*, 382, 387, 401.
communis, *d'Orb.*, 401.
cylindrica, *Hantken*, 401.
Parisiensis, *d'Orb.*, 186, 207.
Cliona, *Grant*, 389.
Clymene, *Sav.*, 232.
Coccinella bipunctata, *Linn.*, 370.
Cochliopodium, *Hertwig & Lesser*, 312.
bilimbosum, *Leidy*, 312.
longispinum *, *West*, 342; mentioned, 313.
minutum *, *West*, 342, mentioned, 312.
pellucidum, *Hertwig & Lesser*, 312.
pilosum, *Hertwig & Lesser*, 313.
vestitum, *Archer*, 313, 314.
Cœlogenys, *Ill.*, 285.
Copepoda, 306.
Copilia, *Dana*, 221.
Corallina, *Linn.*, 397.
Corallum of Turbinaria, by S. Pace, 358-365.
Cornuspira, *Schultze*, 178.
invovens, *Reuss*, 178, 207, 381, 400.

- Corvus frugilegus, *Linn.*, 357.
 Corycæidæ, 221, 222.
 Corycæus obtusus, *Dana*, 306.
 Corynoporella, *Hincks*, mentioned,
 52.
 Cosmobonus, *Sim.*, mentioned, 470.
 Cotyloplanidæ, 41.
 Crangon sculptus, *Bell*, 292.
 Crangonyx, *Spence Bate*, 142, 146, 154.
 compactus, *Chilton*, 157.
 mucronatus, *Forbes*, 157.
 subterraneus, *Spence Bate*, 142,
 144, 155, 157.
 Crania, *Retz.*, 389, 391, 392.
 Cressia dubia, *Spence Bate*, 301.
 Cressidæ, *Stebbing*, 301.
 Cribrilina acanthoceros, *MacG.*, 64.
 annulata, *Fabr.*, 64, 99.
 Balzaci, *Aud.*, 64.
 clithridata, *Waters*, 64.
 figularis, *Johnst.*, 64.
 furcata, *Hincks*, 64.
 Gattyæ, *Busk*, 64.
 hippocrepis, *Hincks*, 64.
 labiosa, *Busk*, 64.
 latimarginata, *Busk*, 64.
 monoceros, *Busk*, 49, 64.
 nitido-punctata, *Smitt*, 64.
 philomela, *Busk*, 64.
 —, var. adnata, *Busk*, 64.
 punctata, *Hassall*, 48, 62, 64, 86,
 99.
 radiata, *Aud.*, 64.
 reniformis, *Ortmann*, 64.
 scutulata, *Busk*, 64.
 setirostris, *MacG.*, 64.
 setosa, *Waters*, 64.
 speciosa, *Hincks*, 64.
 tubulifera, *Hincks*, 64
 Cristellaria, *Lamarck*, 31.
 articulata, *Reuss*, 403.
 Bronni, *Römer*, 31, fig. 32.
 calva, *Wisniewski*, 31, fig. 32.
 crepidula (*F. & M.*), 403.
 cultrata, *Mont.*, 32, 403.
 gibba, *d'Orb.*, 31, 403.
 mirabilis *, *Chapm.*, 410; men-
 tioned, 403, 417.
 obtusata, *Reuss*, 403.
 orbicularis, *d'Orb.*, 403.
 reniformis, *d'Orb.*, 403.
 rotulata, *Lam.*, 403; mentioned, 28,
 32.
 Schloenbachi, *Reuss*, 403.
 tenuis (*Born*), 403.
 variabilis, *Reuss*, 403.
 varians, *Bornemann*, mentioned, 28.
 Cryptodifflugia, *Penard*, 326.
 Cryptodrilus, *Fletcher*, 109, 113.
 cooraniensis, *Spencer*, 114, 127,
 128, 129.
 Cryptodrilus illawarræ, *Fletcher*, 113,
 127, 128, 129, 130, 131, 133, 136,
 139.
 Cryptura, *Ill.*, 347.
 Cuma pulchella, *Sars*, 294.
 scorpioides, *Mont.*, 294.
 Cumacea, 294.
 Cumella pygmæa, *Sars*, 294.
 Cyanops asiatica, *Lath.*, 352.
 Cyclospoides cornigera, *Sars*, 294.
 Cyclicopora, *Hincks*, mentioned, 71.
 Cycloclypeinæ, 21.
 Cycloclypeus, *Carpenter*, 21; mentioned,
 6, 414.
 Carpenteri, *Brady*, 22; mentioned,
 7, 21, 24, 25, fig. 27, 388, 390,
 391, 394.
 — form A, 407, 412.
 — form B, 407, 412.
 Guembelianus, *Brady*, 22; men-
 tioned, 21-25.
 Cyclopidæ, 222.
 Cymbalopora, *Hagenow*, 189; mentioned,
 164.
 Poeyi, *d'Orb.*, 189, 208, 382, 387,
 405.
 —, var. squamosa, *d'Orb.*, 382,
 385, 405.
 —, depressed var., *Brady*, 385.
 tabellæformis, *Brady*, 189, 208,
 382, 405.
 (Tretomphalus) bulloides, *d'Orb.*,
 189, 208, 382, 405, 411, 415.
 (—) inversa *, *Chapm.*, 411;
 mentioned, 405, 417.
 Cyphoderia, *Schlumberger*, 330.
 ampulla, *Leidy*, 330.
 margaritacea, *Schlumberger*, 330.
 —, var. major, *Penard*, 330.
 Cyprididæ, 418.
 Cypridinidæ, 432.
 Cythere, *Müller*, 424.
 acupunctata, *Brady*, 424.
 caudata, *Brady*, 426.
 deltoides, *Brady*, 426.
 fortificata, *Brady*, 425.
 lactea, *Brady*, 426.
 obtusalata, *Brady*, 424.
 pectunculata *, *Chapm.*, 425, 426,
 433.
 phylloides *, *Chapm.*, 424, 433.
 prava, *Baird*, 426.
 stolonifera, *Brady*, 425.
 Wyville-Thomsoni, *Brady*, 425.
Cythereis prava, *Baird*, 426.
 Cytherella, *Jones*, 433.
 cingulata, *G. S. Brady*, 433.
 venusta, *G. S. Brady*, 433.
 Cytherellidæ, 433.
 Cytheridæ, 424.
 Cytheridea margaritea, *Brady*, 429.

- Cytheropteron, *Sars*, 431.
 assimile, *Brady*, 431.
 elatum, *Sars*, 431.
 intermedium, *Brady*, 431.
 longicaudatum, *Brady*, 431.
 scaphoides, *Brady*, 431.
 Cytherura, *Sars*, 430.
 marcida, *Brady*, 430.
 Dactylosphærium, *Hertwig & Lesser*,
 310.
 radiosum, *Blochmann*, 310, 311,
 342.
 vitreum, *Hertwig & Lesser*, 310.
 Dasyprocta, *Ill.*, 285.
 Dasyuridæ, 445.
 Dasyurus, *Geoffr.*, mentioned, 277, 445.
 viverrinus, *Shaw*, 449, 451, 454.
 Dasyurus and Perameles, Shoulder-
 Girdle in, by Robert Broom, 449-454.
 Desmothoraca, 341.
 Dexamine *dolichonyx*, *Nebeski*, 304.
 spinosa, *Mont.*, 304.
 Thea, *Boeck*, 304.
 Diamysis bahirensis, *Sars*, 294.
 Diastylis rugosa, *Sars*, 294.
 Diastylodes biplicata, *Sars*, 294.
 Diazeuxia, *Jullien*, 70.^a
 Didelphys, *Linn.*, dental lamina in, 277 ;
 mentioned, 446.
 Didymogaster, *Fletcher*, 109.
 Diffugia, *Leclerc*, 317.
 acropodia, *Hertwig & Lesser*, 320.
 acuminata, *Ehrenb.*, 308.
 —, var. *amphora*, *Penard*, 319.
 — var. *elegans*, *Penard*, 319,
 342.
 amphora, *Leidy*, 319.
 ampulla, *Ehrenb.*, 330.
 areolata, *Ehrenb.*, 327.
 assulata, *Ehrenb.*, 323.
 avellana, *Penard*, 317.
 bacilliarum, *Perty*, 319.
 bacillifera, *Penard*, var. *inflata*,
 Penard, 317.
 carinata, *Archer*, 322.
 ciliata, *Ehrenb.*, 327.
 collaris, *Ehrenb.*, 321.
 compressa, *Carter*, 317.
 constricta, *Leidy*, 317.
 corona, *Wallich*, 320.
 crenulata, *Leidy*, 320.
 enchelys, *Ehrenb.*, 329.
 entochloris, *Leidy*, 317.
 fallax, *Penard*, 317.
 globulosa, *Dujardin*, 320, 342.
 globularis, *Wallich*, 320.
 helix, *Cohn*, 321.
 lageniformis, *Wallich*, 318.
 lanceolata, *Penard*, 317.
 lobostoma, *Leidy*, 320.
 Diffugia lucida, *Penard*, 317.
 marsupiformis, *Wallich*, 317.
 peltigeracea, *Carter*, 321.
 platystoma, *Penard*, 317.
 pyriformis, *Perty*, 317, 318, 342.
 —, var. *vas*, *Leidy*, 318.
 saxicola, *Penard*, 317.
 seminulum, *Ehrenb.*, 329.
 sphagni, *Leidy*, 323.
 spiralis, *Ehrenb.*, 321.
 strigosa, *Ehrenb.*, 327.
 symmetrica, *Wallich*, 321, 323.
 urceolata, *Carter*, 318, 319.
 vas, *Leidy*, 318.
 — (Catharia) *elegans*, *Leidy*, 325.
 Digaster, *Perr.*, 109, 121.
 armifera, *Fletcher*, 121, 128, 129,
 130, 131, 138.
 brunneus, *Spencer*, 122, 127, 128,
 129, 132, 139.
 excavata, *Fletcher*, 123, 128, 129,
 131, 133, 135, 136.
 gayndahensis, *Spencer*, 122, 127,
 128, 129.
 minor, *Spencer*, 122, 127, 128, 129.
 queenslandica, *Fletcher*, 124, 128,
 129, 133, 138.
 sylyatica, *Fletcher*, 123, 128, 129.
 Digby, Lettice, On the Structure and
 Affinities of the Tanganyika Gastro-
 poda Chytra and Limnotrochus,
 434-442.
 Diplophrys, *Barker*, 332.
 Archerii *Barker*, 332.
 Diplostrena, *Spencer*, 109, 114.
 fragilis, *Spencer*, 114, 128, 129, 130,
 134, 136, 138, 139.
 Diporochæta, *Beddard*, 109, 115.
 Bakeri, *Fletcher*, 116, 127, 128,
 129, 131, 138.
 Copelandi, *Spencer*, 115, 127, 128,
 129, 130, 131.
 Discopora coccinea forma *Peachii*, *Smitt*,
 89.
 — forma *labiata*, *Smitt*, 90.
 elongata, *Smitt*, 97.
 emucronata, *Smitt*, mentioned, 89.
 labiata, *Smitt*, 90.
 reticularis, van *Beneden*, 72.
 sincera, *Smitt*, 72.
 Skenei, *Smitt*, mentioned, 80.
 Discorbina, *Parker & Jones*, 11, 164, 190.
 *acuminata**, *Chapm.*, 385; men-
 tioned, 382, 413, 416.
 allomorphinoides (*Reuss*), 405.
 araucana, *d'Orb.*, 190, 208, 382,
 405.
 Bertheloti (*d'Orb.*), 405.
 biconcava, *Parker & Jones*, 405.
 concinna, *Brady*, 191, 208, 382,
 405.

- Discorbina globularis*, *d' Orb.*, 190, 208, 382, 387, 405.
opercularis, *d' Orb.*, 405.
orbicularis, *Terquem*, 191, 208, 382, 405.
parisiensis, *d' Orb.*, 405.
patelliformis, *Brady*, 405.
pileolus, *d' Orb.*, 12, 191, 208.
pulvinata, *Brady*, 405.
rarescens, *Brady*, 192, 208, 405.
rosacea, *d' Orb.*, 382, 405.
rugosa, *d' Orb.*, 190, 191, 208, 382, 405.
Saulcii, *d' Orb.*, 190, 208.
tabernacularis, *Brady*, 382, 385, 413.
tubercapitata *, *Chapman*, 11 ; mentioned, 12, 192, 208, 405.
turbo, *d' Orb.*, 405.
Vilardeboana, *d' Orb.*, 191, 208, 382, 405.
- Ditrema*, *Bleek.*, 319.
Dolichoplana, *Mosel.*, mentioned, 41.
Dolichotis, *Desm.*, molar of, 277 ; upper molar of, 285.
platycephalica, *Ameghino*, upper molar of, 290.
- Dromæus*, *Vieill.*, 343, 344, 346, 347.
novæ-hollandiæ, *Vieill.*, 355.
- Ducts (Vasa Deferentia and Spermiducal Ducts) of Australian Earthworms, 127.
- Dynamene rubra*, *Mont.*, 296.
- Earthworms, On the Structure of the Spermiducal Glands and associated parts in Australian, by Miss G. Sweet, 109-139.
- Echinopyxis aculeata*, *Clap. & Lachm.*, 315.
- Echiurus unieinctus*, *Drasche*, 211, 215, 227.
- Ehrenbergina serrata*, *Reuss*, 402.
- Embleton*, Miss A. L., *Goidelia japonica*, a new Entozoic Copepod from Japan, associated with an Infusorian (*Trichodina*), 211-229.
- Embleton*, Miss A. L., and Warburton, C., The Life-history of the Black-currant Gall-mite, *Eriophyes* (*Phytoptus*) *ribis*, *Westw.*, 366-378.
- Endothyrixæ*, 29.
- Entalophora*, *Lam.*, mentioned, 50.
- Entozoic Copepod from Japan, 211-229.
- Eocardia*, *Ameghino*, 285.
- Ergasilidæ*, 222.
- Erinaceus*, *Linn.*, mentioned, 445-448.
- Eriophyes* (*Phytoptus*) *ribis*, *Westw.*, Life-history of, by C. Warburton & Alice L. Embleton, 366-378.
- Eriophyidæ*, 367.
- Eriopsis*, *Brugz.*, 146.
- Eriopsis readi* *Eriopsis*, *Brugz.*, 146.
- Eromyidæ readi* *Eryomyidæ*, 285.
- Eryomyidæ*, 283.
- Erythropros elegans*, *Sars*, 293.
- Eschara*, *Lam.*, 71.
cervicornis, *Busk*, 77 ; mentioned, 94.
 ——— forma *Lepraliæ*, *Smitt*, 78.
elegantula, *d' Orb.*, mentioned, 50, 81, 82.
elegantula, *Smitt*, 81.
fascialis, *d' Orb.*, mentioned, 81.
grandipora, *Blainville*, mentioned, 85.
lobata, *Lamarck*, mentioned, 85.
palmata, *Sars*, 71.
pavonina, *d' Orb.*, mentioned, 82, fig. 103.
propinqua, *Smitt*, mentioned, 79.
rosacea, *Busk*, mentioned, 85.
saccata, *Busk*, 81, 82.
Skenei, var. *tridens*, *Busk*, 80.
solida, *Vergelius*, 71.
verrucosa, *Smitt*, 79.
- Escharella*, *Gray*, 71.
Jacotini, forma *lamellosa*, *Smitt*, 88.
Landsborovii, *Smitt*, mentioned, 90.
- Legentilii*, forma *prototypa*, *Smitt*, 66, 73.
palmata, *Smitt*, 71.
porifera, forma *typica*, *Smitt*, 75.
- Escharipora punctata*, *Smitt*, 62.
- Escharoides rosacea*, *Busk*, mentioned, 85, 86.
Sarsii, *Smitt*, 85 ; mentioned, 48, 62, 63, 74, 78, 99.
verruculata, *Busk*, 49.
- Esthonyx*, *Cope*, 283, 284, 285.
- Eucalanus attenuatus*, *Dana*, 306.
- Euchæta marina*, *Prestandrea*, 306.
- Eucrangonyx*, *Stebbing*, 146, 154.
Vejdovskyi, *Stebbing*, 155, 156.
- Euglypha*, *Dujardin*, 327.
alveolata, *Dujardin*, 327.
brachiata, *Leidy*, 328.
brunnea, *Leidy*, 329.
ciliata, *Leidy*, 327.
 ———, var. *strigosa*, *Ehrenb.*, 327.
compressa, *Carter*, 327.
curvata, *Perty*, 330.
globosa, *Carter*, 328.
lævis, *Perty*, 327.
margaritacea, *Wallich*, 330.
minima, *Perty*, 327.
mucronata, *Leidy*, 328.
spinosa, *Carter*, 328.
strigosa, *Leidy*, 327.
tincta, *Archer*, 329.
tuberculata, *Dujardin*, 327.

- Euglyphina, 327.
 Eupagurus angulatus, *Risso*, 292.
 Euryomyidæ read Eryomyidæ, 285.
 Eurostopus nigripennis, *Ramsay*, 353.
 Eurydice achata, *Slabber*, 296.
 pulchra, *Leach*, 296.
 Eusyllis monilicornis, *Malmgr.*, 106.
- Flabellifera, 295.
 Fletcherodrillus, *Michaelsen*, 109, 115.
 unicus, *Fletcher*, 115, 128, 129, 131, 138.
 Flustra, *Linn.*, 71.
 abyssicola, *Sars*, mentioned, 59.
 carbacea, *Ell. & Sol.*, 59, 98.
 membranacea, *Nitsche*, mentioned, ftnote 67.
 membranaceo-truncata, *Smitt*, 59, 98.
 securifrons, *Pall.*, mentioned, 59.
 separata, *Waters*, mentioned, ftnote 59.
 serrulata, *Busk*, mentioned, 59.
 solida, *Stimpson*, 71.
 spitzbergensis, *Bidenkap*, mentioned, 59.
- Foraminifera, On some New and Interesting, from the Funafuti Atoll, by F. Chapman, 1-27.
 —, On some Foraminifera of Tithonian Age from the Stramberg Limestone of Nesselsdorf, by F. Chapman, 28-32.
 — from the Lagoon at Funafuti, by F. Chapman, 161-210.
 — collected round the Funafuti Atoll from shallow and moderately-deep water, by F. Chapman, 379-417.
- Franz-Josef Land, Bryozoa from, collected by the Jackson-Harmsworth Expedition, 1896-97, by A. W. Waters, 43-105
- Fronicularia spathulata, *Brady*, 403, 417.
- Funafuti, On some New and Interesting Foraminifera from the Funafuti Atoll, Ellice Islands, by F. Chapman, 1-27.
- Gagrella, *Stol.*, 474, 483.
 acuaria, *Thor.* (Sumatra), 467.
 aenescens, *Thor.* (Upper Burma), 496; mentioned, 468, 473, 486, 506, 507.
 Albertisii, *Thor.* (New Guinea), 466.
 albicoxa, *Loman* (Java), 467.
 albitarsis, *Sim.* (Sumatra), 467.
 amboinensis, *Thor.* (Amboina), 467.
 armillata, *Thor.*, 492; mentioned, 468, 484.
 Gagrella atrata, *Stol.*, 494; mentioned, 467-469, 483, 485, 486, 496, 504.
 atrorubra, *Sim.* (Lower Burma and Malay Peninsula), 468.
 bicornigera, *Sim.* (Lower Burma and Malay Peninsula), 468.
 bidentata, *Thor.*, mentioned, 468.
 binotata, *Sim.*, 499; mentioned, 467; (Lower Burma and Malay Peninsula), 487.
 bipeltata, *Thor.* (Aru), 467.
 biseriata, *Sim.* (Lower Burma and Malay Peninsula), 468.
 bispinosa, *Karsch*, 505; mentioned (Ceylon), 468, 488.
 celerrima, *Loman* (Java), 467.
 cervina, *Sim.*, 499; mentioned (Lower Burma and Malay Peninsula), 467, 487.
 ceylonensis, *Karsch*, 499; mentioned, 468, 487.
 chætopus, *Thor.*, 492; mentioned, 468, 484.
 concinna, *Thor.* (Sumatra), 467.
 conspera, *Thor.* (Java), 467.
 crux*, *C. With.*, 490; mentioned, 468, 484.
 dentata*, *C. With.*, 488; mentioned, 467, 469, 472, 484.
 docilis, *Loman?*, mentioned, 468.
 Doleschallii, *Thor.* (New Guinea), 466.
 elegans, *Sim.* (Philippines), 466.
 ephippiata, *Thor.* (Sumatra), 467.
 erebea, *Thor.*, 492; mentioned, 468, 485.
 Fæe, *Thor.*, 494; mentioned, 467, 485, 486, 496.
 —, var. humeralis, *C. With.*, 485.
 ferruginea, *Loman*, (China), 468; (Japan), 468.
 flavimaculata*, *C. With.*, 498; mentioned, 468, 472, 473, 486.
 fragilis*, *C. With.*, 493; mentioned, 468, 485.
 —, var. bispinosa*, *C. With.*, 494.
 Hansenii*, *C. With.*, 503; mentioned, 468, 473, 483, 488.
 Hasseltii, *Thor.* (Sumatra), 467.
 hirta*, *C. With.*, 492; mentioned (India), 468, 472, 485.
 histrionica, *Thor.*, 499; mentioned (Upper Burma), 468, 487.
 illusa, *Sim.* (Lower Burma and Malay Peninsula), 468.
 imperator*, *C. With.*, 501; mentioned (Nicobar), 467, 483, 487.
 —, var. dentata*, *C. With.*, 501; mentioned, 488.

- Gagrella imperator, var. unispinosa *,
C. With, 502; mentioned (Anda-
mans), 467, 469, 471, 488.
insculpta, *Pocock* (Borneo and
Java), 467.
laticlavata, *Thor.*, 496; mentioned
(Upper Burma), 468, 486, 498.
lepida, *Thor.* (Lower Burma and
Malay Peninsula), 468, 491.
Lomanii, *Thor.* (Java), 467.
longipalpis, *Thor.* (Borneo), 467.
luzonica, *Loman* (Philippines),
466.
Maindroni, *Sim.*, 496; mentioned
(India), 468, 485.
minax, *Thor.*, 492; mentioned
(Upper Burma), 468, 484.
mirabilis *, *C. With*, 497; men-
tioned, 468, 486.
monacantha, *Herbst*, mentioned,
468, 505.
monticola, *Thor.* (Sumatra), 467.
niasensis, *Thor.* (Nias), 467.
nobilis *, *C. With*, 489; mentioned,
468, 474, 484.
nocticolor, *Thor.*, 494; mentioned
(Upper Burma), 468, 485, 496.
obscura, *Sim.* (Philippines), 466.
patalungensis, *Sim.* (Lower Burma
and Malay Peninsula), 468.
plebeia, *Thor.*, 502; mentioned,
473, 488.
pullata, *Thor.* (Sumatra), 467.
quadrivittata, *Sim.*, 496; men-
tioned, 468, 486.
ramicornis, *Thor.* (Java), 467.
rufescens, *Thor.*, 496; mentioned,
486, 497.
scrobiculata, *Thor.* (Borneo), 467.
semigranosa, *Sim.* (Lower Burma
and Malay Peninsula), 468.
sepia, *Loman*, 505; mentioned
(Java), 467, 472.
signata, *Stoliczka*, 496; mentioned
(India), 468, 486.
simplex, *Loman*, (Java), 467.
sordidata, *Thor.*, 492; mentioned
(Upper Burma), 468, 471, 484.
spinulosa, *Thor.*, 492; mentioned
(Upper Burma), 468, 472, 485.
splendens *, *C. With*, 506; men-
tioned (China), 468, 470, 472,
473.
Stoliczæ *, *C. With*, 497; men-
tioned (Lower Burma and Malay
Peninsula), 468, 486.
tenuis, *Loman* (Flores), 467.
testacea, *Thor.* (Java), 467.
triangularis *, *C. With*, 499; men-
tioned (India), 468, 472, 473,
487.
- Gagrella triangularis, var. fusca *, *C.*
With, 500; mentioned, 487.
tristis, *Thor.*, 502; mentioned,
488.
varians *, *C. With*, 503; men-
tioned (India), 468, 483, 496.
—, var. dentata *, *C. With*, 504.
variegata, *Dol.* (Java), 467.
vestita, *Thor.* (Java), 467.
viridis, *Dol.* (Java), 467.
volcanica, *Dol.* (Java), 467.
xanthostoma, *Thor.* (New Guinea),
466.
(Melanopa) Aurivillii, *Thor.* (Java),
467.
(—) plebeia, *Thor.* (Upper Burma),
468.
(—) tristis, *Thor.* (Upper Burma),
468, 472.
- Galathea, *Rathke*, sp., 292.
Galeopithecus, *Pall.*, mentioned, 445,
448.
Gallus bankiva, var. domestica, *Briss.*,
356.
Gamwarella brevicaudata, *Milne-Edw.*,
305.
Gammaridæ, 298, 304.
Gammarus (*Fabr.*), *Dana*, 146.
fontanus, *Moniez*, 153.
marinus, *Leach*, 304.
pulex, *Fabr.*, 141.
puteanus, *Hamann*, 151, 153, 155.
puteanus, *Koch*, 143, 147.
scissimanus, *Costa*, 305.
subterraneus, *Leach*, 141, 142, 147.
- Gastropods Chytra and Limnocyclus,
On the Structure and Affinities of
the Tanganyika, by Lettice Digby,
434-442.
- Gaudryina attenuata *, *Chapm.*, 409;
mentioned, 401, 416.
baccata, *Schwager*, 409.
rotunda *, *Chapm.*, 409; men-
tioned, 401, 416.
rugosa, *d'Orb.*, 401.
- Gemellaria loricata, *Linn.*, 98; men-
tioned, 50.
- Geodesmus bilineatus, *Mecznikoff*, men-
tioned, 42.
- Geoplanidæ, 41.
- Giardella, 214, 215, 217, 219, 221, 223.
- Gitana Sarsii, *Boeck*, 301.
- Globigerina, *d'Orbigny*, 164, 187.
æquilateralis, *Brady*, 404, 415.
bulloides, *d'Orb.*, 187, 208, 404,
415.
—, var. triloba, *Reuss*, 188, 208,
404, 415.
conglobata, *Brady*, 404, 415.
cretacea, *Brady*, 410.
digitata, *Brady*, 404, 415.

- Globigerina dubia*, *egger*, 404, 415.
Dutertrei, *d'Orb.*, 404, 415.
pachyderma, *Ehr.*, 404, 415.
rubra, *d'Orb.*, 404, 415.
sacculifera, *Brady*, 382, 404, 415.
subcretacea *, *Chapm.*, 414; mentioned, 404, 415, 417.
- Globigerina-ooze*, 420, 425.
- Globigerinæ*, 410.
- Globigerinidæ*, 187.
- Glyciophagus domesticus*, *de Geer*, mentioned, 63.
- Goidelia japonica*—a new Entozoic Copepod from Japan, associated with an Infusorian (*Trichodina*), by Miss A. L. Embleton, 211–229.
- Goidelia japonica* *, *Embleton*, 227, 229.
- Goodrich, E. S., Observations on *Syllis vivipara*, *Krohn*, 105–108.
- Goplana*, *Wrześniowski*, 154, 158.
polonica, *Wrześniowski*, 154.
- Gromia*, *Dujardin*, 312, 313, 331.
fluviatilis, *Dujardin*, 331.
granulata, *Schulze*, 332.
hyalina, *Schlumberger*, 331.
stagnalis *, *West*, 331; mentioned, 342.
terricola, *Leidy*, 331.
- Guerna coalita*, *Norm.*, 304.
- Gymnophrys*, *Cienkowski*, 311.
cometa, *Cienkowski*, 311, 342.
- Gymnura*, *Vig. & Horsf.*, mentioned, 266, 287, 447, 448.
- Gypsina*, *Carter*, 198; mentioned, 2, 163, 164.
globulus, *Reuss*, 198, 209, 382, 407.
inhærens, *Schultze*, ftnote 17, 198, 209, 382, 387, 407.
melobesioides, *Carter*, 201.
melobesoides, *Carpenter*, 396.
vesicularis, *Parker & Jones*, 198, 209, 210, 387, 407.
—, var. *discus*, *Goës*, 199, 209, 210.
—, var. *monticulus* *, *Chapm.*, 200; mentioned, 209, 210, 407.
—, var. *squamiformis* *, *Chapm.*, 200; mentioned, 165, 209, 210, 407.
- Haddonina*, *Chapm.*, 6; mentioned, 8, 164, 183.
minor *, *Chapm.*, 384; mentioned, 382, 400, 416.
Torresiensis, *Chapm.*, 6; mentioned, 7, 183, 207, 384, 389, 391–393, 400, 416.
- Halimeda*, mentioned, 1, 6, 165, 182, 183, 184, 195, 389, 391, 397.
- Halimeton rectirostris*, *Della Valle*, 303.
- Haplophragmium*, *Reuss*, 28.
agglutinans, *d'Orb.*, 28; mentioned, 400.
calcareum, *Brady*, 409.
cassis, *Parker*, 408; mentioned, 400, 416.
nanum, *Brady*, 400.
neocomianum, *Chapm.*, 29, fig. 32.
tesselatum *, *Chapm.*, 408; mentioned, 400, 409, 416.
- Harpinia crenulata*, *Boeck*, 306.
neglecta, *Sars*, 300.
- Hauerina*, *d'Orb.*, 178; mentioned, 164.
compressa, *d'Orb.*, 381, 399.
ornatissima, *Karrer*, 178, 207, 381, 399.
- Hauerinæ*, 178.
- Hedimys*, *Ameghino*, 285.
- Heleopora*, *Leidy*, 323.
petricola, *Leidy*, 323.
picta, *Leidy*, 323.
- Heliophrys*, *Greeff*, 336.
variabilis, *Greeff*, 336.
varians, *West*, 336.
- Heliozoa* and *Rhizopods*, Freshwater, by G. S. West, 308–342.
- Helix nemoralis*, *Linn.*, mentioned, 33.
- Hemeschara cruenta*, *Smitt*, 73.
sincera, *Busk*, 72.
- Hemicentetes*, *Mivart*, mentioned, 447, 448.
- Hermellidæ*, 256.
- Hersilia*, *Philippi*, 212, 213, 214, 224.
apodiformis, *Philippi*, 212, 225.
- Hersiliidæ*, 212, 213.
- Hersiliodes*, *Canu*, 214, 215, 216, 217, 219, 221, 223, 224.
- Heterophrys*, *Archer*, 337.
Fockei, *Archer*, 338.
myriapoda, *Archer*, 337.
Pavesii, *Garbini*, 338.
radiata *, *West*, 337; mentioned, 342.
spinifera, *Hertwig & Lesser*, 337.
varians, *Schulze*, 336.
- Heterostegina*, *d'Orb.*, 18; mentioned, 2, 163, 164, 165, 205.
costata, *d'Orb.*, mentioned, 20.
curva, *Möbius*, 205.
depressa, *d'Orb.*, 18; mentioned, 20, 205, 209, 382, 387, 394, 412, 414.
—, form A, 407, 412.
—, form B, 407, 412.
—, var. *simplex*, *d'Orb.*, 19.
helvetica, *Kaufmann*, 19.
simplex, *d'Orb.*, 19.

- Hippolyte gracilis*, *Heller*, 292.
 varians, *Leach*, 292.
 viridis, *Otto*, 292.
- Hipponychidæ, 437.
- Hipponyx conicus*, *Schumacher*, mentioned, 435.
- Hippothoa*, *Lam.*, mentioned, 50.
 divaricata, *Lam.*, mentioned, 70.
 expansa, *Dawson*, 69; mentioned, 99.
 expansa, *Hincks*, 69.
 hyalina, *Linn.*, 70; mentioned, 48, 99.
 rugosa, *Stimps.*, 59.
- Hornera*, *Lam.*, mentioned, 89.
- lichenoides*, *Pont.*, mentioned, 49, 62, 63.
- Hyale aquilina*, *Della Valle*, 299.
 pontica, *Rathke*, 298.
 Prevostii, *M.-Edw.*, 299.
- Hyalodiscus rubicundus*, *Hertwig & Lesser*, 334.
- Hyalolampe fenestrata*, *Greaff*, 339.
- Hyalosphenia*, *Stein*, 325, 330.
 cuneata, *Stein*, 325, 342.
 elegans, *Leidy*, 325.
 lata, *Schulze*, 325.
- Hydra*, *Linn.*, 228.
- Hydrochærus*, 285.
- Hyperammina*, *Brady*, 182.
 ramosa, *Brady*, 182, 207.
- Hyperidea*, 298.
- Hypsibunus*, *Thor.*, 474; mentioned, 483.
 diadematus, *Thor.*, mentioned, 474.
 *vigilans**, *C. With*, 475; mentioned, 468, 472, 474.
- Hyssura*, *Norm. & Stebbing*, 295.
 producta, *Norm. & Stebbing*, mentioned, 296.
 spinicauda, *Walker**, 295; mentioned, 307.
- Hystricidæ, 286.
- Hystricomorpha*, cheek-teeth of, 283.
- Hystrix leucura*, *Sykes*, premolar of, 283, 286; upper molar of, 290.
- Idmonea atlantica*, *Forbes*, mentioned, 50.
- Involutina*, *Terquem*, 29.
 conica, *Schlumberger*, 30, fig. 32.
 Jonesi, *Terquem & Piette*, 29.
 *Remesiana**, *Chapm.*, 29, fig. 32.
- Iphimedia minuta*, *Sars*, 303.
- Iphimediidæ, 303.
- Iphinoë serrata*, *Norm.*, 294.
- Isoëtes*, *Linn.*, 312, 331, 339, 341.
- Isopoda, *Latr.*, 295.
- Jæropsis Dollfusi*, *Norm.*, 296.
- Janiridæ, 296.
- Kinetoskias arborescens*, *Kor. & Dan.*, mentioned, 58.
 cyathus, *W. Thoms.*, mentioned, 49.
- Krithe*, *Brady*, *Crosskey & Robertson*, 427.
 producta, *Brady*, 427.
 tumida, *Brady*, 427.
- Lagena acuticosta*, *Reuss*, 402.
 lagenoides, *Will.*, 402.
 radiato-marginata, *Parker & Jones*, 402.
 spiralis, *Brady*, 402.
 striata, *d'Orb.*, 402.
- Lagenidæ, 30, 187.
- Lagenipora*, *Hincks*, mentioned, 93.
- Lasius niger*, *Fabr.*, 370.
- Lecquereusia*, *Schlumberger*, 321.
 jurassica, *Schlumberger*, 321.
 spiralis, *Blochmann*, 321.
- Lecythium hyalinum*, *Hertwig & Lesser*, 331.
- Leieschara coarcta*, *Sars*, 68.
 crustacea, *Levinsen*, 64.
 subgracilis, *Levinsen*, mentioned, 45.
- Lemna minor*, *Linn.*, 331, 333.
- Lenticulites rotulata*, *Lam.*, 32.
- Lepralia*, *Johnst.*, 71, 87, 93.
 *borealis**, *Waters*, 73; mentioned, 66, 99.
 cervicornis, *Smitt*, 78.
 cruenta, *Norm.*, 73; mentioned, 74, 78, 99.
 elegantula, *Levinsen*, 81.
 eliminata, *Waters*, mentioned, 92.
 foliacea, *Ell. & Sol.*, mentioned, 66, 76, 83.
 hippopus, *Smitt*, 75; mentioned, 99, 102.
 incisa, *Busk*, mentioned, 75.
 Jeffreysii, *Norman*, 88.
 margaritifera, *Quoy & Gaim.*, mentioned, 83, 85.
 megastoma, *Busk*, mentioned, 75.
 plana, *Dawson*, 65.
 porifera, *Smitt*, 75, 99, 101.
 porifera, *Hincks*, 75.
 sincera, *Smitt*, 72, 99.
 Smittii, *Kirchensp.*, 66.
 spatulifera, *Smitt*, 87.
 trispinosa, *Johnst.*, var. *Hincks*, 88.
 tubulosa, *Norm.*, 86.
 vitreæ, *Lorenz*, mentioned, 75.
- Leptocheirus guttatus*, *Grube*, 305.
- Leptochlamys**, *West*, 325, 326.
 *ampullacea**, *West*, 325, 342.
- Leptomysis apiops*, *Sars*, 294.

- Leptophoxus falcatus*, *Sars*, mentioned, 300.
Leucothoë, *Leach*, 302.
 spinicarpa, *Abildgaard*, 302.
 *euryonyx**, *A. O. Walker*, 302, 307.
Leucothoidæ, 302.
 Life-history of the Black-currant Gall-mite, *Eriophyes* (*Phytoptis*) *ribis*, *Westw.*, by *C. Warburton* and *Miss A. L. Embleton*, 366-378.
Ligia italica, *Fabr.*, 298.
Ligiidæ, 298.
Liljeborgia pallida, *Spence Bate*, 305.
Liljeborgidæ, *Stebbing*, 305.
Limacopsidæ, 41.
Limnocythere, *Brady*, 427; mentioned, 418.
 fijiensis, *Brady*, 427.
Limnotrochus Thomsoni, *Bouv.*, 437-442.
Lingulina, *d'Orb.*, 30.
 carinata, *d'Orb.*, 403, 417.
 —, var. *seminuda*, *Hantken*, 403.
 nodosaria, *Reuss*, 30, fig. 32.
 ovalis, *Schwager*, 31, fig. 32.
Liobunum, *Koch*, 470, 471; distribution of, 469; mentioned, 505.
 rotundum, *Latr.*, mentioned, 470.
 rupestre, *Herbst*, mentioned, 470.
Lithocolla, *Schulze*, 338.
 globosa, *Schulze*, 338.
Lithophyllum, *Phil.*, 201, 396.
 onkodes, *Heydr.*, 201.
Lithothamnion, *Phil.*, mentioned, 1, 25, 26, 184, 201, 389, 392, 396, 397.
 Philippii, var. *funafutiensis*, *Fosl.*, 388, 389, 390.
Littorina sulcata, *Pilk.*, mentioned, 439.
Lituola cassis, *Parker*, 408.
Lituolidæ, 6, 28, 183.
Lituolinæ, 6, 28, 183.
Lobosa, 309.
Loxoconcha, *Sars*, 397, 427.
 alata, *Brady*, 427.
 australis, *Brady*, 427.
 honoluluensis, *Brady*, 428.
 *tumida**, *Chapm.*, 428, 433.
Lysianassidæ, 299.
Macrocypris, *Brady*, 420.
 decora, *Brady*, 420.
Macrosclides, *Smith*, and other Insectivora, Notes on the Brain of, by *G. Elliot Smith*, 443-448.
Macrosclides proboscideus, *Shaw*, 443-448.
Macrura, 292.
Madrepora, *Linn.*, 358, 359.
Mæra integrimana, *Heller*, mentioned, 305.
 scissimana, *Costa*, 305.
 Mæra truncatipes, *Della Valle*, 305.
 Malacostracan Fauna of the Mediterranean, Contributions to the, by *A. O. Walker*, 290-306.
Maplestonia simplex, *MacG.*, mentioned, 51.
Marginopora vertebralis, *Blainville*, var. *plicata*, *Dana*, 181, 384.
Marginulina costata (*Batsch*), 403.
 glabra, *d'Orb.*, 403.
 soluta, *Reuss*, 403.
 Marsupials *Dasyurus* and *Perameles*, On the Early Condition of the Shoulder-Girdle in the Polyprodont, by *Robert Broom*, 449-454.
 Marsupials, pre-milk dentition in, 277.
Marthana columnaris, *Thor.* (Borneo), 467.
 cuspidata, *Loman* (Java), 467.
 turrita, *Thor.*, mentioned, 468.
 Mediterranean: Contributions to the Malacostracan Fauna of the Mediterranean, by *A. O. Walker*, 290-306.
Megalæma marshallorum, *Swinhoe*, 351, 352, 357.
Megaluropus agilis, *Norm.*, 305.
Megamphopus cornutus, *Norm.*, 305.
Megasclex, *Templett.*, 109, 116.
 Dendyi, *Spencer*, 118, 127, 128, 129, 133, 138.
 dorsalis, *Fletcher*, 118, 127, 128, 129, 131, 133, 135, 136, 138, 139.
 Fielderi, *Spencer*, 117, 128, 129, 138.
 Frenchi, *Spencer*, 116, 128, 129, 133, 136, 138.
 Hoggii, *Spencer*, 118, 127, 129.
 Illidgei, *Spencer*, 121, 128, 129.
 intermedius, *Spencer*, 120, 127, 129, 138.
 minor, *Spencer*, 119, 128, 129.
 rubra, *Spencer*, 119, 127, 128, 129.
 tasmanica, *Spencer*, 117, 128, 129, 133, 136, 139.
Megascloides, *McCoy*, 109, 110.
 attenuatus, *Spencer*, 112, 127, 128, 129, 130, 134, 136.
 australis, *McCoy*, 112, 128, 129, 130.
 hobartensis, *Spencer*, 111, 127, 128, 129, 130, 131.
 insularis, *Spencer*, 111, 127, 128, 129, 130, 131, 138.
 intermedius, *Spencer*, 110, 127, 128, 129, 130, 134, 136, 138, 139.
 roseus, *Spencer*, 112, 127, 128, 129, 130, 138.
 tuberculatus, *Fletcher*, 113, 128, 129, 131.

- Megascolides victoriae*, *Spencer*, 111, 127, 128, 129, 131, 138.
Melanopa, *Thor.*, mentioned, 474, 483.
 Aurivillii, *Thor.* (Java), 467.
 conspersa, *Thor.* (Java), 467.
 plebeia, *Thor.*, 502; mentioned (Upper Burma), 468.
 tristis, *Thor.*, 502; mentioned, 468, 478.
Melita palmata, *Mont.*, 305.
Melphidippella, *G. O. Sars*, 304.
Melphidippa, *Boeck*, 304, 307.
 n. sp., *A. O. Walker*, 304.
 ? sp., 307.
Melphidippidae, *Stebbing*, 304.
Membranipora, *Blainv.*, 72.
 arctica, *d'Orb.*, 60, 98.
 arctica, *Lorenz*, 60.
 armifera, *Hincks*, mentioned, 62.
 catenularia, *Jam.*, mentioned, 60.
 cornigera, *Busk*, mentioned, 62.
 crassimarginata, *Hincks*, mentioned, 49
 —, var. *incrustans*, *Busk*, mentioned, 49.
 craticula, *Alder*, mentioned, 62.
 cymbæformis, *Hincks*, mentioned, 61.
 Flemingii, *Busk*, mentioned, 62.
 flustroides, *Hincks*, mentioned, 61.
 galatea, var. *multifida*, *Busk*, mentioned, 49.
 hians, *Hincks*, mentioned, 91.
 incrustans, *Waters*, mentioned, 49.
 lineata, *Linn.*, mentioned, 49, 60, 98.
 lineata, f. *Sophiæ*, *Smitt*, 60.
 macilenta, *Jullien*, 61, 99.
 membranacea, *Linn.*, mentioned, 62.
 monostachys, *Busk*, 59, 98.
 perfragilis, *Mac Gill*, mentioned, 49.
 Sophiæ, form *matura*, mentioned, 61.
 Sophiæ, *Busk*, 60.
 spinifera, *Johnst.*, 61, 98.
 spitzbergensis, *Bidenkap*, mentioned, 60, 61.
 trifolium, *S. Wood*, mentioned, 62.
 unicornis, *Flem.*, mentioned, 61.
Membraniporidae, 49.
Menipea, *Busk*, mentioned, 50, 56.
 arctica, *Busk*, 55.
 duplex, *Levinsen*, 57.
 gracilis, *Levinsen*, 55, 56.
 Jeffreysii, *Norm.*, mentioned, 57.
 Normani, *Nordg.*, mentioned, 58.
 Smittii, *Kirchenpauer*, 57.
 Smittii, *Norm.*, 57.
 ternata, *Hincks*, 55.
 —, forma *duplex*, *Smitt*, 57.
Meniscoessus, *Cope*, mentioned, 282.
Metaphoxus, *Bonnier*, 299.
 Fultoni, *T. Scott*, 299.
 pectinatus, *A. O. Walker*, 299, 307.
 pectinatus, *Chevreux*, 300.
 typicus, *Bonnier*, 299.
Microdeutopus algicola, *Della Valle*, 305.
Microplana, *Vejdovsky*, mentioned, 41.
 humicola, *Vejdovsky*, 42.
Microporella, *Hincks*, mentioned, 87.
 impressa, *Aud.*, mentioned, 71.
 spatulifera, *Smitt*, 100, fig. 104.
Miliolidae, 3, 168.
Miliolina, *Williamson*, mentioned, 2, 163, 164, 172.
 agglutinans, *d'Orb.*, 176, 207, 381, 383, 399.
 alveoliniformis, *Brady*, 177, 207, 399.
 anygdaloides, *Brady*, 399.
 bicornis, *Walker & Jacob*, 176, 178, 207, 381, 399.
 Bosciana, *d'Orb.*, 177, 207, 210, 381, 383, 399.
 Boueana, *d'Orb.*, 177, 207, 381, 413.
 circularis, *Bornemann*, 173, 206, 381, 398.
 —, var. *sublineata*, *Brady*, 381, 398.
 cultrata, *Brady*, 399.
 Cuvieriana, *d'Orb.*, 381, 399.
 Ferussacii, *d'Orb.*, 175, 176, 207, 381, 383, 386, 399.
 Funafutiensis *, *Chapm.*, 178, 207, 210, 381, 399.
 labiosa, *d'Orb.*, 173, 206, 381, 383, 399.
 Linneana, *d'Orb.*, 176, 207, 381, 399.
 Linnæana, *d'Orb.*, 176.
 macilenta, *Brady*, 399.
 oblonga, *Montagu*, 177, 178, 207, 381, 386, 399.
 Parkeri, *Brady*, 175, 207, 381, 386, 399.
 pulehella, *d'Orb.*, 399.
 reticulata, *d'Orb.*, 174, 206, 381, 386, 399.
 scrobiculata, *Brady*, 178, 207, 399.
 seminulum, *Linn.*, 176, 381, 386, 399.
 subrotunda, *Montagu*, 173, 206, 381, 399.
 Terquemiana, *Brady*, 174.
 tricarinata, *d'Orb.*, 174, 206, 381, 399.
 —, var. *Bertheliniana*, *Brady*, 174, 206, 381, 386, 413.
 —, reticulated var., *Millett*, 174.

- Miliolina tricarinata*, striate var., *Millett*, 174.
 —, var. *Terquemiana*, Brady, 174, 206, 381, 386, 399.
trigonula, *Lam.*, 381, 386, 413.
undosa, *Karrer*, 175, 206, 381, 399.
valvularis, *Reuss*, 172, 206, 383.
 — (*Triloculina*) *reticulata*, d'Orb., 174.
 Miliolininæ, 169.
Miliolites ringens, *Lamarck*, 170.
Millepora compressa, *Sowerby*, 77.
miniacea, *Pallas*, 16, 200.
rubra, *Lamarck*, 16.
 Mitopus, *Thor.*, mentioned, 470.
 Mitraria, *Raf.*, 240, 254, 255, 256, 259.
 Mollia granifera, *Barrois*, mentioned, 71.
hyalina, forma *hyalina*, *Smitt*, 70.
 Monalysidium*, *Chapm.*, 3, 179.
cylindraceus, *Lam.*, 381, 384, 413.
lituus, *Gmelin*, 400.
*polita**, *Chapm.*, 4.
*Sollasi**, *Chapm.*, 3, 400.
 Monoculodes griseus, *Della Valle*, 303.
 Monoporella spinulifera, *Hincks*, 74.
 Montipora, *Quoy & Gaim.*, ftnote 362.
 Morphology of the Palate in Neognathæ, by *W. P. Pycraft*, 343-357.
 Mungeotia, Rhizopods feeding on cell-contents of, 333, 342.
 Mucronella, *Hincks*, mentioned, 89.
coccinea, *Abild.*, mentioned, 87, 88.
coccinea, *Bidenkap*, 87.
cruenta, *Nordgaard*, 74.
labiata, *Levinson*, 90.
sincera, *Nordgaard*, 72.
spinulifera, *Hincks*, 74.
ventricosa, *Hincks*, 89.
ventricosa, var. *connectens*, *Ridley*, mentioned, 90.
 Munnidæ, 297.
 Muscidæ, 213.
 Myodocopa, 432.
 Myriophyllum, Rhizopods scarce among, 338, 339.
 Myrizoum, *Donati*, 65.
coarctum, *Bidenkap*, 68.
coarctum, *Sars*, 65, 67, 68; mentioned, 99.
crustaceum, *Smitt*, 64.
planum, *Hincks*, 65.
pulchrum, *Ortmann*, 69.
subgracile, d'Orb., 69; mentioned, 45, 65, 67, 68, 99.
truncatum, *Pall.*, 65, 67.
 Myrmecobius, *Waterh.*, mentioned, 277, 446.
 Mysidopsis, *Sars*, 293.
angusta, *Sars*, mentioned, 293.
didelphis, *Norm.*, mentioned, 293.
gibbosa, *Sars*, 293.
*serraticauda**, *Waters*, 293, 307.
 Nannastacus longirostris, *Sars*, 294.
 Nassopsis, *Smith*, mentioned, 437.
nassa, *Smith*, 442.
 Nautilus *Beccarii*, *Linn.*, 196.
crispus, *Linn.*, 203.
depressulus, *Walker & Jacobs*, 202.
macellus, var. *a*, *Fichtel & Moll*, 203.
pertusus, *Forskål*, 179.
repandus, *Fichtel & Moll*, 196.
striatopunctatus, *Fichtel & Moll*, 203.
umbilicatus, *Montagu*, 202.
 — (*Lituus*) *arietinus*, *Batsch*, 179.
 Navicula divergens, *Ralfs*, 318.
major, *Kuetz.*, 318.
viridis, *Kuetz.*, 318.
 Nebela, *Leidy*, 321.
ambigua, *Cash*, 321.
barbata, *Leidy*, 323.
bigibbosa, *Penard*, 323.
carinata, *Leidy*, 322.
collaris, *Leidy*, 321, 322.
 —, var. *lageniformis*, *Penard*, 321.
dentistoma, *Penard*, 322.
flabellulum, *Leidy*, 322.
galeata, *Penard*, 323.
hippocrepis, *Leidy*, 323.
militaris, *Penard*, 321.
 Nematodemus, *Graff*, mentioned, 41.
 Neognathæ, Some points in the Morphology of the Palate in, by *W. P. Pycraft*, 343-357.
 Neoniphargus, *Stebbing*, 143, 145.
 Nereis diversicolor, *O. F. Müller*, 107.
 Nerine, *Johnst.*, 248.
 Nesselsdorf, On some Foraminifera of Tithonian Age from the Stramberg Limestone of, by *F. Chapman*, 28-32.
 Nicea plumicornis, *Heller*, 299.
 Niphargus, *Schiödte*, 141, 144, 146.
aquilex, *Schiödte*, 141, 142, 147.
croaticus, *Jurinae*, 157.
fontanus, *Spence Bate*, 142, 144, 153.
Forelii, *Humb.*, 149.
Kochianus, *Spence Bate*, 142, 144, 150, 161.
Moniezi, *Utręsiewski*, 143.
puteanus, *Koch*, 142, 143, 144, 147, 152, 156.
puteanus, *Hosius*, 152.
 —, var. *Forelii*, *Humbert*, 149.
 —, var. *Vejdovskyi*, *Wręsiewski*, 149.

- Niphargus stygius*, *Schiödt*, 141.
stygius, *Westwood*, 147.
 subterranean, *Leach*, 144, 147, 152,
 153, 161.
tatrensis, *Wrzesniowski*, 149.
Virei, *Chevreux*, 143.
- Nitzschia*, *Hassall*, 331.
- Nodosaria*, *Lam.*, mentioned, 3.
comata, *Batsch*, 402.
communis, *d'Orb.*, 402.
consobrina, *d'Orb.*, 402.
filiformis, *d'Orb.*, 402.
intercellularis, *Brady*, 403.
limbata, *d'Orb.*, 402.
obliqua, *Linn.*, 403.
pauperata, *d'Orb.*, 402.
plebeia, *Reuss*, 402.
proxima, *Silvestri*, 402.
punctata, *d'Orb.*, mentioned, 3.
Roemeri, *Neugeboren*, 402.
scalaris, *Batsch*, 402.
 —, var. *separans*, *Brady*, 402.
subcanaliculata, *Neugeboren*, 403.
vertebralis, *Batsch*, 403.
- Nodosariinæ*, 30.
- Nonionina*, *d'Orb.*, 202; mentioned, 163,
 164.
depressula, *Walker & Jacob*, 202,
 209, 407.
scapha, *F. & M.*, 407.
umbilicatulata, *Montagu*, 202, 209,
 407.
- Nothoprocta perdicarius*, *Kittl.*, 355.
- Notoryctes*, *Stirling*, mentioned, 446.
- Nototropis guttatus*, *Costa*, 304.
spinulicauda, *Costa*, 304.
- Nubecularia*, *DeFrance*, 168.
Bradyi, *Millett*, 169, 206, 210, 381,
 383, 413.
Bradleyi read Bradyi, *Millett*, 383.
divaricata, *Brady*, 168, 206, 210,
 381, 386, 398.
inflata, *Brady*, 169.
*lacunensis**, *Chapm.*, 169, 206, 210,
 381, 386, 413.
lucifuga, *DeFrance*, 168, 206, 381,
 386, 398.
tibia, *Jones & Parker*, 398.
- Nubeculariinae*, 168.
- Nummulinidæ*, 18, 202.
- Nummulitinæ*, 18, 204.
- Nyctibius*, *Vieill.*, 353.
- Nyctophilus*, *Leach*, mentioned, 447.
- Obesiella**, *Ridew.*, 463, 465.
*lyonsiellæ**, *Ridew.*, 463-465.
- Obesiella lyonsiellæ**, a new Species of
 Copepod Crustacean, by W. G. Ride-
 wood, 463-465.
- Oceanodroma leucorrhœa*, *Vieill.*, 356.
- Octodontidæ*, 285.
- Oculinidæ*, 390.
- Ediceridæ*, 303.
- Edicerus griseus*, *Della Valle*, 303.
- Oithina*, *Ald. & Hancock*, 222.
spinifrons, *Boeck*, 306.
- Onœæa mediterranea*, *Claus*, 306.
- Oncobunus*, *Thor.*, mentioned, 505.
galeatus, *Thor.* (Upper Burma),
 468.
- Oniscoida*, 298.
- Operculina incertus*, *d'Orb.*, 29.
involvens, *Reuss*, 178.
- Ophthalmidium cornu**, *Chapm.*, 399,
 408, 416.
inconstans, *Brady*, 408.
tumidulum, *Brady*, 399.
- Opiliones palpotares*, mentioned, 468.
- Orbiculina*, *Lam.*, 412.
- Orbitoides*, *Schaff.*, mentioned, 18.
- Orbitolites*, *Lamarek*, mentioned, 2, 163,
 164, 180.
complanata, *Lam.*, 181, 207, 381,
 386, 392, 394, 400, 414.
 —, var. *laciniata*, *Carpenter*,
 384.
 —, var. *plicata*, *Dana*, 209, 382,
 384, 413.
duplex, *Carpenter*, 182, 381, 400
 414.
laciniatus, *Brady*, 384.
marginalis, *Lam.*, 180, 207, 210
 381, 386, 394, 400, 412, 414.
tenuissima, *Carpenter*, 24.
- Orbitulina versicularis*, *Parker & Jones*,
 198.
- Orbulina universa*, *d'Orb.*, 404, 415.
- Orchestiidæ*, 298.
- Orchomene Batei*, *Sars*, 299.
humilis, *Costa*, 299.
- Orthoplecta clavata*, *Brady*, 402.
- Oryzoryctes*, *Grand.*, mentioned, 447,
 448.
- Osthimosia*, *Jullien*, mentioned, 50, 93.
eveza, *Jullien*, mentioned, 96.
- Ostracoda* from Funafuti, by F. Chap-
 man, 417-433.
- Othelosoma*, *Gray*, mentioned, 41.
- Otoeyon*, *Licht.*, 282.
- Owenia*, *Della Chiaje*, 230, 239, 251,
 255, 260.
filiformis, *Della Chiaje*, 250, 259,
 260.
- Pace*, S., On the Anatomy of the Proso-
 branch Genus *Pontiothauma*, *E. A.*
Smith, 455-462.
- On the Corallum of *Turbinaria*,
 358-365.
- Pachygrapsus marmoratus*, *Fabr.*, 292.
- Palæmon Squilla*, *Fabr.*, 292.

- Palate in the Neognathæ, Some points in the Morphology of, by W. P. Pycraft, 343-357.
- Paleocavia, 285.
- Palmicellaria *Skenei*, var. *tridens*, Hincks, 80.
- Pamphagus, *Bailey*, 330.
curvus, *Leidy*, 331, 335, 342.
hyalinus, *Leidy*, 330.
- Panthalis, *Kinb.*, 248.
- Pantopoda, 306.
- Paracrangonyx, *Stebbing*, 146, 154.
- Paranthura nigropunctata, *Lucas*, 296.
- Paratylus guttatus, *Costa*, 304, 307.
vedlomensis, *Spence Bate*, mentioned, 304.
- Patellina corrugata, *Will.*, 382, 384, 405.
- Pelagic Foraminifera, 415.
- Pelomyxa, *Greeff*, 309.
palustris, *Greeff*, 309, 310.
villosa, *Leidy*, 310.
- Peltidiidæ, 213.
- Peneroplidinae, 3, 178.
- Peneroplis, *Montfort*, 3, 164, 179.
arietinus, *Batsch*, 179, 207, 381, 386, 400.
lituus, *Gmelin*, 381.
pertusus, *Forskål*, 179, 207, 381, 386, 400.
pertusus, *Forsk.*, type *c*, *Brady*, 179.
pertusus, *Forsk.*, type *d*, *Brady*, 180.
Sollasi, *Chapm.*, 381.
(Monalysidium) cylindraceus, *La-marck*, 180, 381, 384, 413.
 (—) *lituus*, *Gmelin*, 400.
 (—) *polita* *, *Chapm.*, 4, fig. 26.
 (—) (?) *politus*, *Chapm.*, 180, 207, 210.
 (—) *Sollasi*, *Chapm.* *, 3, 180, 207, 400.
- Perameles, *Geoffr.*, mentioned, 444-446.
obesula, *Geoffr.*, 451, 454.
- Perameles and Dasyurus, Shoulder-girdle in, by Robert Broom, 449-454.
- Pericoulodes longimanus, *Spence Bate*, 303.
- Perissogaster, *Fletcher*, 109.
- Petrogale, *Gray*, 449, 452.
- Phalangiidæ, New and Old, from the Indian Region, by C. With, 466-509.
- Phanomys, *Ameghino*, 285.
- Phascologale, *Wagn.*, mentioned, 277.
- Pherusa bispinosa, *Nebeski*, 303.
- Philonotis fontana, *Brid.*, 322.
- Philontis fontana, read Philonotis fontana, *Brid.*, 322.
- Photidæ, 305.
- Photis longicaudata, *Spence Bate*, 306.
Reinhardi, *Della Valle*, 306.
- Phoxocephalidæ, 299.
- Phoxocephalus chelatus, *Della Valle*, 299.
pectinatus, *A. O. Walker*, 299.
simplex, *Calman*, 299.
simplex, *Norm.*, 299, 300.
- Phoxus simplex, *Spence Bate & Westw.*, 300, 307.
- Phrosina semi-lunulata, *Risso*, 298.
- Phtisica marina, *Slabber*, 306.
- Phylactella, *Hincks*, mentioned, 90, 91.
collaris, var., *Norm.*, mentioned, 91.
grandis, *Hincks*, 90.
labiata, *Smitt*, 90, 100.
- Phytoptidæ, 367.
- Phytoptis* read *Phytoptus ribis*, *Westw.*, 366.
- Placocephalus kewensis, *Moseley*, mentioned, 34.
- Placocysta, *Leidy*, 328.
spinosa, *Leidy*, 328.
- Placopsilina, *d'Orb.*, 164, 183.
cenomana, *d'Orb.*, 183, 207, 400.
- Plagiaulacidæ, 284; incisors of, 284; molar of, 282.
- Plakopus ruber, *Schulze*, 334.
- Planarian Worm, a new European Species of Terrestrial (Rhynchodemus Howesi), by R. F. Scharff, 33-42.
- Planispirina communis, *Sequenza*, 399.
exigua, *Brady*, 381, 399.
- Planorbulina, *d'Orb.*, 163, 192.
acervalis, *Brady*, 382, 392, 413.
 —, var. *fimbriata* *, *Chapm.*, 193, 208, 210, 405.
larvata, *Parker & Jones*, 165, 193, 382, 405.
 —, var. *crispata* *, *Chapm.*, 193, 208, 210, 405.
- Mediterranensis, *d'Orb.*, 192, 208, 385, 405.
reticulata, *Ozjzek*, 194.
retinaculata, *Parker & Jones*, 382, 385, 413.
vulgaris, var. *larvata*, *Parker & Jones*, 193.
- Planularia *Bronni*, *Römer*, 31.
- Platybunus minus, *Loman* (Sumatra), 467; mentioned, 469.
- Platycopa, 433.
- Platydeinus, *Griff*, mentioned, 41.
- Plecanium rugosum, *Reuss*, 185.
- Pleonexes gammaroides, *Spence Bate*, 306.
- Pleurocope dasyura, *A. O. Walker* *, 297, 307.
- Pleurogonium, mentioned, 297, 298.
- Pleuromma abdominale, *Claus*, 306.
- Pleurophrys? amphitrematoides, *Archer*, 330.
sphærica, *Clap et Lachm.*, 330.
- Pleurotomaria, *Defr.*, mentioned, 437.

- Pleurotomaria Beyrichii, *Hilgendorf*, 442.
- Pleurotomella, *Verrill*, mentioned, 456, 459.
- Podargus humeralis, *Vig. & Horsf.*, 354.
- Podiceps cristatus, *Linn.*, 356.
- Podocopa, 418.
- Polychæta of the Family Ammocharidæ, by A. T. Watson, 230-260.
- Polymastodon, *Kraatz*, incisors of, 284.
- foliatus, *Cope*, 284.
- taoënsis, *Cope*, mentioned, 282.
- Polymastodontidæ, molar tooth of, 282; incisors of, 284.
- Polymorphina communis, *d' Orb.*, 403.
- compressa, *d' Orb.*, 403.
- gutta, *d' Orb.*, 403.
- Seguenzana, *Brady*, 403.
- Polymorphinæ, 187.
- Polystomella, *Lam.*, 164, 203.
- crispa, *Linn.*, 203, 209, 382, 407.
- macella, *Fichtel & Moll*, 203, 209, 382, 407.
- striatopunctata, *Fichtel & Moll*, 203, 204, 209, 382, 413.
- subnodosa, *Münster*, 203, 204, 209.
- Polystomellinæ, 202.
- Polytrema, *Risso*, 1, 2, 15, 164, 200.
- brunnescens, *Dana*, 395.
- mesentericum, *Carter*, mentioned, 17.
- miniaceum, *Pallas*, 16, 200, 209, 382, 387-393, 407, 416.
- , var. alba, *Carter*, 201, 209, 388, 393, 407.
- , var. album, *Carter*, 201.
- , var. involva *, *Chapm.*, 17, 18, 201, 396.
- planum, *Carter*, 201, 209, 210, 387-393, 396, 407, 413, 416.
- rubra, *Lam.*, 16.
- utriculare, *Carter*, 12, 195.
- Pomatoceros triqueter, *Linn.*, 107.
- Pompholyx ophrys, *Archer*, 339.
- punicea, *Archer*, 339.
- Ponthiothauma abyssicola, *E. A. Smith*, 459.
- mirabile, *E. A. Smith*, mentioned, 455, 456-462.
- Ponthiothauma, *E. A. Smith*, On the Anatomy of the Prosobranch Genus, by S. Pace, 455-462.
- Pontocypris, *Brady*, 418.
- attenuata, *Brady*, 419.
- fabia, *Reuss*, 418.
- sicula, *Brady*, 419.
- Pontoporeiidæ, 299.
- Porcellidium viride, *Philippi*, 306.
- Porella, *Cleve*, 50, 76, 81.
- acutirostris, *Smitt*, 66, 76, 78, 83, 85, 99.
- Porella bicornis, *Busk*, mentioned, 80.
- cervicornis, *M.-Edw.*, mentioned, 76, 77, 78.
- compressa, *Sow.*, 77, 78, 85, 99.
- compressa, *Hincks*, 77.
- concinna, *Busk*, 77; mentioned, 48, 76, 79, 80, 99.
- , granular var., *Hincks*, 79.
- elegans, *Alder*, mentioned, 80.
- elegantula, *d' Orb.*, 76; mentioned, 82; fig. 103.
- elegantula, *Levinsen*, 81.
- glaciata *, *Waters*, 78, 99.
- inflata *, *Waters*, 83; mentioned, 76, 84, 85, 99.
- lævis, *Flem.*, mentioned, 76, 81, 83.
- , forma lepralia, mentioned, 84.
- , var. subcompressa, *Busk*, mentioned, 84.
- lævis, *Smitt*, 83.
- lorea, *Alder*, mentioned, 76, 80.
- major, *Hincks*, 83.
- malleolus, *Hincks*, 76.
- margaritifera, *Quoy & Gaim.*, 76.
- marsupium, *MacG.*, 76; mentioned, 85.
- minuta, *Norm.*, mentioned, 76.
- nitidissima, *Hincks*, 76.
- obesa *, *Waters*, 84; mentioned, 85, 100.
- patens, *Smitt*, 77.
- perpusilla, *Busk*, mentioned, 76, 81, 82.
- plana, *Hincks*, 79, 99, fig. 104.
- proboscidea, *Hincks*, 79.
- propinqua, *Smitt*, 78, 104.
- rostrata, *Hincks*, 76.
- saccata, *Busk*, 81, 82; mentioned, 50, 76, 78, 85, 99.
- Skenei, *Ell. & Sol.*, 79.
- , forma plana, *Hincks*, 79.
- , var. proboscidea, *Hincks*, 79, 99.
- , var. tridens, *Kirchenpauer*, 80, fig. 103.
- struma, *Norm.*, 77.
- surcularis, *Busk*, mentioned, 77.
- (Lepralia) margaritifera, *Quoy & Gaim.*, mentioned, 85.
- Porina, *d' Orb.*, mentioned, 87.
- ciliata, forma dura, *Smitt*, 74.
- tubulosa, *Norm.*, 86, 100.
- Porites, *Lam.*, 364.
- Posidonia, *Bronn*, mentioned, 291.
- Caulini, *Kön.*, 292.
- Prolagus sardus, *R. Wagner*, mentioned, 275.
- Psammocora, *Dana*, 389.
- Pseudarthromerus, *Karsch*, mentioned, 472.

- Pseudarthromerus spurius*, *Karsch* (Ceylon), 468, 469.
Pseudochirus, *Ogilby*, 449, 452.
Pseudocuma cercaria, v. *Beneden*, 294.
Pseudodifflugia, *Schlumberger*, 330.
gracilis, *Schlumberger*, 330.
Pseudoflustra palmata, *Sars*, 71, 99.
solida, *Bidenkap*, 71.
Pseudomma sp., 293.
Psittacotherium, *Cope*, 284.
Pteroceras, *Lam.*, mentioned, 437.
Pullenia obliquiloculata, *Parker & Jones*, 404, 415.
Pulvinulina, *Parker & Jones*, 196.
auricula, *Fichtel & Moll*, 407.
canariensis, *d'Orb.*, 407, 415.
concentrica, *Parker & Jones*, 407.
elegans, *d'Orb.*, 407.
exigua, *Brady*, 407.
Hauerii, *d'Orb.*, 407.
lateralis, *Brady*, 407.
Menardii, *d'Orb.*, 406, 415.
oblonga, *Williamson*, 196, 209.
patagonica, *d'Orb.*, 407.
proceda, *Brady*, 407.
punctulata, *d'Orb.*, var. *scabra* *,
Chapm., 407, 411, 417.
repanda, *Fichtel & Moll*, 196, 209,
407.
—, var. *concamerata*, *Mont.*, 407.
tumida, *Brady*, 406, 415.
Pustularia rosea, *Gray*, 16.
Pycraft, W. P., Some Points in the
Morphology of the Neognathæ, 343-
357.
Pygoscelis, *Wagl.*, 357.
tæniata, *Peale*, 356.
Pyripora catenularia, *Jameson*, men-
tioned, 50.

Quadrula, *F. E. Schulze*, 323.
irregularis, *Archer*, 324, 342.
monensis, *Cash*, 324.
symmetrica, *F. E. Schulze*, 323, 324.
Quinqueloculina agglutinans, *d'Orb.*,
176.
Bosciana, *d'Orb.*, 177, 178.
Boueana, *d'Orb.*, 177.
Ferussacii, *d'Orb.*, 175.
ornatissima, *Karrer*, 178.
reticulosa, *d'Orb.*, 175.
undosa, *Karrer*, 175.

Ramulina cervicornis, *Chapm.*, men-
tioned, 5.
globulifera, *Brady*, 404.
Reophax scorpiurus, *Montfort*, 400.
Reptostrina arctica, *d'Orb.*, 60, 61.
Retepora Beaniana, *King*, 97.
cellulosa, *Linn.*, 96, 100.

Retepora cellulosa, *Smitt*, 96.
elongata, *Smitt*, 97, 100.
elongata, *Levinsen*, 97.
tenella, *Ortmann*, 97.
Wallichiana, *Hincks*, 97.

Reticulosa, 311.
Rhabdammina, *Sars*, mentioned, 5.
Rhabdamminæ, 4, 182.
Rhamphostomella, *Lorenz*, 50, 91, 93.
bilaminata, *Hincks*, 104.
bilaminata, *Lorenz*, 92, 104.
costata, *Lorenz*; 91, 100, fig. 104.
plicata, *Smitt*, 92, 100, fig. 104.
plicata, *Lorenz*, 92.
scabra, *Smitt*, mentioned, 92.

Rhaphidiophrys, *Archer*, 339.
pallida, *Schulze*, 339, 342.
viridis, *Archer*, 339.

Rhapidodendron album, *Möbius*, 395.
Rhea, *Moehr.*, 344, 345, 346.
americana, *Vieill.*, 355.

Rhizammina, *Brady*, mentioned, 5.
Rhizopoda, *Duj.*, 309.
Rhizopods and Heliozoa, Freshwater,
by G. S. West, 308-342.

Rhynchodemidæ, 41.
Rhynchodemus, *Leidy*, 33-42.
albicollis, *Graff*, mentioned, 41.
bilineatus, *Metschner*, mentioned,
35, 41.
Howesi *, *Scharff*, 33, 38, 39.
nematoides, *Loman*, mentioned,
35.
ochroleucus, *Graff*, mentioned, 35.
pyrenaicus, *Graff*, mentioned, 41.
Scharffi, *Graff*, mentioned, 35, 39,
40.
terrestris, *O. F. Müller*, mentioned,
39, 42.

Rhynchodemus Howesi: a new Euro-
pean Species of Terrestrial Planarian
Worm, by R. F. Scharff, 33-42.

Rhynchopora, *Hincks*, mentioned, 93.
longirostris, *Hincks*, mentioned,
49.

Ridewood, W. G., On *Obesiella lyon-*
siellæ, a new Genus of Copepod Crus-
tacean, 463-465.

Rissa tridactyla, *Linn.*, 356.
Robulina subnodoas, *Münster*, 203.
Robulus cultratus, *Montfort*, 32.

Rodentia, two dentitions in, 277.

Rosalina araucana, *d'Orb.*, 190.
bulloides, *d'Orb.*, 189, footnote 411.
globularis, *d'Orb.*, 190.
orbicularis, *Terq.*, 191.
Poeyi, *d'Orb.*, 189.
rugosa, *d'Orb.*, 190.
Saulcii, *d'Orb.*, 190.
squamosa, *d'Orb.*, 385.
Vilardeboana, *d'Orb.*, 191.

- Rotalia*, *Lamarck*, 196.
Beccarii, *Linn.*, 196, 209.
spiculotesta, *Carter*, 184.
squamosa, *d'Orb.*, 385.
- Rotaliidae, 10, 188.
- Rotaliinae, 11, 189.
- Rotalina ammonoides*, *Reuss*, 195.
oblonga, *Williamson*, 196.
reticulata, *Czjzek*, 194.
Ungeriana, *d'Orb.*, 194.
- Sagenella*, *Brady*, 4, 5, footnote 182.
frondescens, *Brady*, 4; mentioned,
 5, 6, fig. 26.
- Sagenina* *, *Chapm.*, 4, 163, 164, 165,
 182.
frondescens, *Brady*, 4; mentioned,
 5, 6, 26, 182, 207, 388, 391-393,
 400.
- Sagrina*, *d'Orb.*, emend. *Parker & Jones*,
 187; mentioned, 3.
columellaris, *Brady*, 404.
divaricata, *Brady*, 168.
raphanus, *Parker & Jones*, 187, 208,
 382, 387, 403.
- Salmacina Dysteri*, *Huxley*, 107.
- Sapphirina*, *Thomps.*, 221.
- Sapphirinidae, 213.
- Sarsiella*, *Norm.*, 432.
sculpta, *Brady*, 432.
- Scharff*, R. F., *Rhynchodemus Howesi* :
 a new European Species of Terrestrial
 Planarian Worm, 33-42.
- Schismopora*, *MacGillivray*, mentioned,
 50, 93.
- Schizopoda, *Latr.*, 293.
- Schizoporella, *Hincks*, mentioned, 84,
 93.
auriculata, *Hass.*, 66.
biapertura, *Mich.*, 66; mentioned,
 84.
candida, *Stimpson*, 66.
cincta, *Hincks*, 65.
cruenta, *Hincks*, 73.
crustacea, *Smitt*, 64, 99.
crustacea, *Lorenz*, 64.
elmwoodiae *, *Waters*, 66, 99.
Harmsworthii *, *Waters*, 65, 99.
hyalina, *Linn.*, mentioned, 50.
limbata, *Lorenz*, 66.
linearia, *Hass.*, 66.
pulcherrima, *MacGilliv.*, men-
 tioned, 75.
sinuosa, *Busk*, 66.
stylifera, *Levinsen*, 66.
unicornis, *Johnst.*, mentioned, 91.
- Sciuridae, 278.
- Sciurus Brookei*, *Thomas*, mentioned,
 278.
Prevosti, *Desm.*, 278.
vulgaris, *Linn.*, 278.
- Scotomenia*, *Sim.*, mentioned, 471, 474.
cetrata, *Thor.* (Upper Burma), 468,
 472, 505.
- Scrupocellaria*, *van Beneden*, mentioned,
 50, 79.
Delilii, *Alder*, 54, 55.
elongata, *Smitt*, 58, 98; mentioned,
 56.
gracilis, *Busk*, mentioned, 56, 57.
Peachii, *Busk*, 58, 98.
scabra, *van Beneden*, 54, 98; men-
 tioned, 58, 80.
scabra, *Norm.*, 54.
 —, forma *elongata*, *Bidenkap*,
 58.
Smittii, *Norm.*, 57, 98; mentioned,
 56, 58.
ternata, var. *gracilis*, *Smitt*, 55,
 98; mentioned, 58.
- Semifustrellaria arctica*, *d'Orb.*, 60, 61.
- Serpula*, *Linn.*, 388, 389, 390, 392, 416.
bicornis, *Walker & Jacob*, 176.
- Shoulder-girdle, On the Early Condi-
 tion of the, in the Polyprotodont
 Marsupials *Dasyurus* and *Perameles*,
 by *Robert Broom*, 449-454.
- Sigmoilina celata*, *Costa*, 381, 399.
- Siphogenerina* (*Sagrina*) *raphanus*,
Parker & Jones, 187.
- Siphonostomidae, 213.
- Siriella Clausii*, *Sars*, 293.
- Smith*, G. Elliot, Notes on the Brain of
Macroscelides and other Insectivora,
 443-448.
- Smittia*, *Hincks*, 77, 91; mentioned,
 50.
abyssicola, *Norm.*, mentioned, 90.
Jacksonii *, *Waters*, 87, 100, fig.
 105.
lamellosa, *Smitt*, mentioned, 88,
 fig. 105.
Landsborovii, *Johnst.*, var., 90,
 100, 104.
 —, var. *porifera*, *Hincks*, 75.
Peachii, *Johnst.*, 89, 90, 100.
 —, var. *octodentata*, *Hincks*,
 mentioned, 89.
plicata, *Hincks*, 92.
porifera, *Lorenz*, 75.
praestans, *Hincks*, mentioned, 88.
reticulata, *MacGilliv.*, mentioned,
 73, 90.
reticulo-punctata, *Hincks*, men-
 tioned, 90.
rigida, *Lorenz*, mentioned, 90.
trispinosa, *Johnst.*, mentioned, 89,
 90.
 —, var. *arboorea*, *Levinsen*, 88.
 —, var. *lamellosa*, *Smitt*, 88,
 100.
variolosa, *Johnst.*, mentioned, 89.

- Smittia ventricosa*, *Hass.*, mentioned, 89, 90.
 —, var., 89, 100, fig. 105.
Spaniomys, *Ameghino*, 286.
riparius, *Ameghino*, upper molar of. 290.
Spergo, *Dall*, 456.
glandiniformis, *Dall*, mentioned, 456.
 Spermiducal Glands, &c., in Australian Earth-worms, by Miss G. Sweet, 109–139.
Spermophilus, *Cuv.*, incisors in, 279.
citillus, *Linn.*, mentioned, 278.
leptodactylus, *Lichtenstein*, mentioned, 278.
Sphærastrum, *Greeff*, 338.
conglobatum, *Greeff*, 338.
Fockei, *Archer*, 338.
Sphæroidina dehiscens, *Parker & Jones*, 404, 415.
Sphæroma serratum, *Fabr.*, 296.
 Sphæromidæ, 296.
Sphagnum, *Dillen.*, 309, 315, 321–325, 328, 339.
cuspidatum, *Ehrh.*, 338.
Sphenoderia, *Schlumberger*, 328.
fissirostris, *Penard*, 329.
lenta, *Schlumb.*, 328, 329.
 —, var. *fissirostra*, *Penard*, 329.
Spirillina, *Ehrenb.*, 10, 164, 188.
decorata, *Brady*, 410.
 —, var. *unilatera**, *Chapm.*, 405, 410, 417.
inæqualis, *Brady*, 10, 11, 382, 404.
limbata, *Brady*, 11, 404.
 —, var. *denticulata*, *Brady*, 11.
*spinigera**, *Chapm.*, 10, 188, 208, 210, 382, 404.
tuberculata, *Brady*, 10, 11.
*tuberculato-limbata**, *Chapm.*, 11, 188, 208, 404.
vivipara, *Ehrenb.*, 382, 404.
 Spirillininæ, 10, 188.
Spirolina, *Lam.*, mentioned, 3.
agglutinans, *d'Orb.*, 28.
 — (*Spirolinites*) *cylindracea*, *Lam.*, 180.
Spiroloculina, *d'Orb.*, 164, 170, 175.
acutimargo, *Brady*, 172, 206, 381, 398.
antillarum, *d'Orb.*, 171, 206, 381, 386, 398.
asperula, *Karrer*, 398.
canaliculata, *d'Orb.*, 381, 413.
oremata, *Karrer*, 381, 398.
excavata, *d'Orb.*, 170, 171, 206, 398.
foveolata, *Egger*, 171.
Spiroloculina fragillissima, *Brady*, 398.
grata, *Terquem*, 171, 206, 381, 386, 398.
impressa, *Terquem*, 170, 171, 398, 408.
lamella, *Egger*, 171.
limbata, *d'Orb.*, 398.
 —, *Brady*, var., 408.
nitida, *d'Orb.*, 171, 381, 386, 398.
 —, var. *foveolata*, *Egger*, 171, 206, 210, 381, 386, 398.
*parvula**, *Chapm.*, 398, 408, 416.
planulata, *Lam.*, 171.
robusta, *Brady*, 170, 206, 398.
tenuiseptata, *Brady*, 172, 206, 398.
*tortuosa**, *Chapm.*, 171, 206, 210.
Steatornis, *Humb.*, 354.
caripensis, *Humb.*, 357.
Stichomys, *Ameghino*, 286.
constans, *Ameghino*, upper molar of, 290.
 Strombidæ, 437.
Strombus, *Linn.*, mentioned, 440.
Struthio, *Linn.*, mentioned, 347.
Syleus, *Thor.*, mentioned, 505.
niger, *C. L. Koch* (India), 468.
Syllis Armandi, *Claparède*, 105.
incisa, *Fabr.*, 106.
prolifera, *Krohn*, 105.
vivipara, *Krohn*, 105.
Syllis vivipara, *Krohn*, Observations on, by E. S. Goodrich, 105–108.
Synchelidium haplocheles, *Grube*, 303.
Systenocentrus, *Sim.*, mentioned, 505.
quinguedentatus, *Sim.* (Cambodja), 467.
 Sweet, Miss G., On the Structure of the Spermiducal Glands and Associated Parts in Australian Earthworms 109–139.
Talpa, *Linn.*, mentioned, 445, 447, 448.
 Tanganyika Gastropods Chytra and *Limnotrochus*, On the Structure and Affinities of the, by Lettice Digby, 434–442.
Tarsonemus, *Can. Fanz.*, 375.
Temora dubia, *Lubbock*, 306.
 Testacea, 312.
 Testes and Sperm-sacs of Australian Earthworms (Sweet), 125.
Tetrapteryx, *Thunb.*, 356.
paradisea, *Licht.*, 350, 357.
Textularia, *Defrance*, 163, 164, 184.
agglutinans, *d'Orb.*, 401.
 —, var. *porrecta*, *Brady*, 401.
concava, *Karrer*, 401.
conica, *d'Orb.*, 30, 185, 207, 382, 401.
crispata, *Brady*, 401.